

# 【Docker】【錯誤處理】無法停止服務

\*使用systemctl stop docker 無法停止服務

```
[root@localhost docker]# systemctl stop docker
Warning: Stopping docker.service, but it can still be activated by:
docker.socket
```

\*解決

```
#停止
[root@localhost docker]# systemctl stop docker.socket
[root@localhost docker]# systemctl stop docker.service

#啟動
[root@localhost docker]# systemctl daemon-reload
[root@localhost docker]# systemctl restart docker
```

\*\*如果還沒辦法解決

```
# 刪除 docker socket 文件
cd /lib/systemd/system/ && rm -rf docker.socket
# 查看 docker 是否已dead
sudo systemctl status docker.service
# 重新創建 docker.socket
cd /lib/systemd/system/
vim docker.socket
# 添加如下內容
[Unit]
Description=Docker Socket for the API
PartOf=docker.service

[Socket]
ListenStream=/var/run/docker.sock
SocketMode=0660
SocketUser=root
SocketGroup=docker

[Install]
WantedBy=sockets.target
```

```
#啟動
[root@localhost docker]# systemctl daemon-reload
[root@localhost docker]# systemctl restart docker
```

🕒修訂版本 #2

★由 treeman 建立於 8 🕒 2022 17:40:23

🔧由 treeman 更新於 5 🕒 2023 10:14:58